



**Probing Solutions.  
Made in Germany.**

EN



# FPP 120 BAN

**Fine Pitch Probes**  
30 V AC / 60 V DC

Datasheet




## About Fine Pitch Probes

This Probehead can be used very effectively with multimeters for testing SMT components on dense circuit boards. It adapts the conventional 4 mm Bananaplugs to 0.5 mm fine Spring Tips. The IC-Caps enclosed in the scope of delivery facilitate IC-Contacting and the gold-plated contacts ensure lowest transition resistance.



## Electrical Specifications

	FPP 120 BAN
Rated Voltage	30V AC / 60V DC
Rated Current	1 A
Cable Type and Length	0.75 mm <sup>2</sup> / 120 cm [47.3"]
Connectors	2 Microline Spring Tips 0.5 mm (gold-plated) to 2 Bananaplugs 4 mm (gold-plated)

## Dimensions



Accessories



The innovative IC Contacting System consisting of 5 different IC-Caps ranging from 0.5 up to 1.27 mm pitch as the ideal solution for short-circuit safe measurements.

## **Manufacturer**

PMK Mess- und Kommunikationstechnik GmbH  
Koenigsteinerstrasse 98  
65812 Bad Soden am Taunus, Germany

Phone: +49 (0) 6196 5927 - 930  
Fax: +49 (0) 6196 5927 - 939

Internet: [www.pmk.de](http://www.pmk.de)  
E-Mail: [sales@pmk.de](mailto:sales@pmk.de)

**Copyright © 2022 PMK - All rights reserved.**

Information in this publication supersedes that in all previously published material.  
Specifications are subject to change without notice.